

Anti-Flicker

MSI MS-AA82



All-in-One, One for All.

MSI brightly launched new 19.5 inch entertainment All-in-One PC MS-AA82 with integrated computer and screen as well as modern ID design that provides you a cleaner area.



- Elegant casing as well as features streamlined molding and transparent frame design.
- More space-saving and ease to use.
- Full multimedia connectivity and support USB 3.0
- Eco-friendly Design: RoHS, Energy Star 5.2














- (Optional) Multi-touch Screen (Windows 7)
- Intel® Core i5® 4460s CPU
- MSI Super Charger technology for fast and power-off charging
- Support 1 COM port & VGA out for connecting barcode readers, credit card machines or credit card billing machines, making it an optimal cutting-edge platform for a variety of commercial applications
- Quick Fix PC tool, which enables users to efficiently self-diagnose and repair PC systems
- Stylish out looking.
- Power saving, space saving.









Product Name				MS-AA82			
Part Number				-			
EAN				-			
System OS					Windows 7 /Windows 7 Professional 64bit		
Processor	Туре				•Intel® Core i5® 4460s Processor		
	CPU Frequency / Cache Size			2.9 GHz / 6MB Smart Cache			
	CPU FSB/ HT bus / CPU TDP			1 - 1104			
Chipset				Intel H81			
Touch Panel / Technology				Non Touch			
Monitor	Size			452 (H) x 263 (V) mm			
	Resolution	Glare/ Non-Glare	Display	1600 x 900 HD+	Anti-Glare (optional)	LED Backlighting	
	Brightness	Contrast Ratio	Color	250 cd/m2	1000:1	16,7 M	
V04	Response	Pixel Picth	Viewing Angle	5 ms	0.2768 mm * 0.2768 mm	160° horizontal, 160° vertical	
VGA	Graphic			Intel® HD Graphics 4	1600		
	VRAM			- AC DDD2 ACD May			
Memory	Type			4G DDR3 4GB, Max.			
	Configuration			DDR3 SO-DIMM x 2 slots			
	Maximum			Expandable to 16GB			
Storage	HDD / SSD			500GB 3.5"			
	HDD Type / Speed (rpm)			3,5" SATA III			
. "	Optical Drive			Tray-in DVD Super Multi			
Audio	Internal Mircophone			Yes			
	Audio Chipset			2v2 W speckers			
	Speaker			2x3 W speakers			
Audio Jack	Mic-in/ Headphone out			1/1			
	Line-in/ Line-out			- 200 11 h /a /a			
Communication	Wireless LAN	N .		802.11 b/g/n			
	LAN (RJ45)			10/100/1000			
	56K Fax/ Modem (RJ11)			- N/A			
	Bluetooth			N/A 6 (0/ 2* LISP 2.0. 1 for Super Charger / 2* LISP 2.0. 2* LISP 2.0.)			
1/0	USB (front/ side/ rear q'ty)			6 (0/ 2* USB 3.0 -1 for Super Charger / 2* USB 2.0, 2*USB 3.0)			
	Card Reader			3 in 1 (SD, MMC, MS)			
	E-SATA / IEEE 1394			- /1			
	HDMI-in / HDMI-out			-/1 -/1			
	VGA-in / VGA-out			-/1 1			
-1 16	COM Port			1			
Others I/O							
Expansion							
TV Tuner				484			
Webcam	0			1M-pixel HD			
Mechanical and		torage Temperture		operating temperature: 0~35°C			
Environmental		torage Humidity		40°c 85% and 0°c 0%, '-20°c~60°c; 0%~90%			
	Regulatory C	Regulatory Compliance			Safety: UL/CB EMC:CE/FCC/C-TICK/VCCI/BSMI		
Noise				34 dBA			
Lock				Kensington Lock			
Wake-on-LAN				N. 140 / 1			
KB / Mouse				Wired KB / Mouse			
Wall Mount				Wall Mount kit III, 75mm x 75mm			
Power	AC Adaptor			120W			
Power Consumption	PC off(W)	11 (1.0		0.38			
(based on 115V, 60Hz	PC sleep/ standby (W)			2.82			
	PC idle /energy star on (W)			31.43			
Durability	Projected Ca	pacitive Touch (M1	TBF)	F12 2mm* 202 4	n* 07mm		
Dimension (W x H x D)				513.2mm* 392.1mn	n. 9\tml		
Weight	Net , Gross V	Veight		8.42 KG / 9.42KG			
Warranty				42014			
	Adapter			120W			
Accessories (Options)							
Accessories (Options)	Warranty ex	tension card For Al	10				
Accessories (Options)		tension card For Al	10				



MS-AE63

All-in-One, One for All.



MSI brightly launched new 24-inch entertainment All-in-One PC- MS-AE63 with integrated computer and screen as well as modern ID design that provides you a cleaner area.






Anti-Flicker

Selling Points

- •The 4th Gen Intel® Mobile Core ™ series Processors
- •10-point touch screen (optional)
- •Ultra-slim and frameless design, the minimum thickness is only 21mm
- Exclusive Anti-Flicker and Less Blue Light Technology to protect user eyesight
- •Internal SSD speed up operating system and games (optional)
- •LED backlight LCD panel for maximum energy-saving
- •MSI Super Charger for high-speed data transfers and fast charging
- •Creative Sound Blaster™ Cinema sound system

















Product Name				MS-AE63				
Part Number								
EAN				-				
System OS				Windows 7 Professional 64bit				
Processor	Туре	Туре			Intel® Core™ i5-4200M			
	CPU Frequenc	CPU Frequency / Cache Size			2.5GHz / 3 MB Smart Cache			
	CPU FSB/ HT bus / CPU TDP			DMI : 5000MHz / 37 Watt				
Chipset		·		Intel HM86				
Touch Panel / Technology				Non touch				
Monitor	Size			521.28mm (H) × 293.22mm(V); 59,94 cm (23.6") diagonal				
	Resolution	Glare/ Non-Glare	Display	1920* 1080 Full HD	Glare	LED Backlighting		
	Brightness	Contrast Ratio	Color	300 cd/m2	1000:1	16,7 M		
	Response	Pixel Picth	Viewing Angle	5 ms	0.2715 mm * 0.2715 mm	170° horizontal, 160° vertical		
VGA	Graphic			Intel® HD Graphics 460	00			
	VRAM							
Memory	Туре			DDR3L 4GB, 1600MHz				
	Configuration			DDR3 SO-DIMM x 2 slots				
	Maximum			Expandable to 16GB				
Storage	HDD / SSD				500GB			
	HDD Type / Speed (rpm)			2,5" SATA III /5400				
	Optical Drive			Tray-in DVD Super Multi				
Audio	<u> </u>	Internal Mircophone			Yes			
	Audio Chipset			Realtek ALC887				
	Speaker			2x 5W Lautsprecher mit Sound Blaster™ Cinema				
Audio Jack	Mic-in/ Headphone out			1/1				
	Line-in/ Line-out			-/-				
Communication	Wireless LAN				802.11 b/g/n			
	LAN (RJ45)	LAN (RJ45)			10/100/1000			
	56K Fax/ Modem (RJ11)			-/-				
	Bluetooth			YES				
1/0	USB (front/ side/ rear q'ty)			6 (0; USB 2.0 x2; USB 3	.0 x4)			
	Card Reader			3 in 1 (SD, MS, MMC)				
	E-SATA / IEEE 1394			-/-				
	HDMI-in / HDMI-out			-/1				
	VGA-in / VGA	VGA-in / VGA-out			-/-			
	DVI-in / DVI-out			-/-				
Others I/O				-				
Expansion				Mini PCI-E x2 (1xWiFi)				
TV Tuner	TV Tuner				terface)			
Webcam					Full HD 2.0M-pixel			
Mechanical and		orage Temperture		10 - 35°C, -20 – 60° C				
Environmental		orage Humidity		40 °c 85% and 0 °c 0% , '-20°c~60 °c ; 0%~90%				
	Regulatory Compliance			Safety: UL/CB EMC:CE/FCC/C-TICK/VCCI/BSMI				
Noise					TBD			
Lock				Kensington Lock				
Wake-on-LAN				Yes				
KB / Mouse				USB KB/Mouse				
Wall Mount				support VESA standard 100x100mm				
Power		AC Adaptor			120W			
Power Consumption		PC off(W)			TBD			
(based on 115V, 60Hz		PC sleep/ standby (W)			TBD			
B 1399		PC idle /energy star on (W)			TBD			
Durability Division (1977)	Projected Cap	pacitive Touch (MTBI	-)	- -	- / 101 1 1 1	155+55.45 \		
Dimension (W x H x D)			583.28 * 424.55 * 32.95 mm (with holder: 583.28*424.55*55.15mm)					
Weight	Net , Gross W	/eight		7.5kg / TBD				
Warranty	,,,,,,,			644 42 201 071 /-:	1)/644 42 204 57 (51 17 17 17	544.42204.654.0/::::==:		
Accessories (Options)	Keyboard			•	k)/ S11-43xx201-C54 (BLACK) /	S11-43xx301-C54 (WHITE)		
	Mouse			Paired with keyboard				
	Adapter			\$93-0403130-D04 956-AXXXXW-001				
		ension card For AIO						
	Power Cord			K33-30011021-I45b (EU) / K33-30011024-I45 (UK) / K33-30011030-I45 (IT)				